



A Service Disabled Veteran Owned Small Business

Four Points Technology, LLC
13221 Woodland Park Road
Suite 400
Herndon, VA 20171
www.4points.com
703.657.6100

AIT-7 ORDERING GUIDE

Army Contracting Command-Rock Island's (ACC-RI) Automatic Identification Technology-7 (AIT-7) Contract

Contract Number:
W519TC25DA061

Four Points Technology, LLC
13221 Woodland Park Road, Suite 400
Herndon, VA 20171
(703) 657-6100

Table of Contents

Contract Overview	3
Ordering Procedures.....	3
Equipment	4
Major Types of Equipment Provided	4
Precautions	5
Equipment Interface Diagrams and/or Photos.....	5
Zebra ET60 Rugged Tablet.....	6
DT Research DT382WH (Both HHT F & G)	8
Zebra TC5301 Mobile Handheld	10
Zebra MC9401 Rugged Handheld	11
Zebra MC9401 Rugged Handheld	12
Software	12
ZebraDesigner 3 Software.....	12
Installation Requirements.....	13
Virtualization Remote Desktop Services:.....	14
Compatibility.....	14
Training.....	14
Warranty Support.....	14
Preventative Maintenance	14
GUIDANCE FOR HHT's:.....	14
GUIDANCE FOR PRINTERS:	15
APM MATS Products.....	16
CLIN List and Prices	27

Introduction

Contract Overview

The objectives of the Automatic Identification Technology VII (AIT-7) acquisition are to provide a state-of-the-art, common, integrated structure for logistics tracking, locating, and monitoring of assets and processes. Data collection, storage of information, information processing, and transmission of AIT data will greatly enhance systems within Department of Defense (DoD), United States Coast Guard (CG), North Atlantic Treaty Organization (NATO), Coalition Partners, other Foreign Military Sales (FMS), and other federal agencies. AIT technologies will provide standardization among Government users of AIT components purchased under this contract.

The contract shall provide for state-of-the-art, commercial items needed for automatic identification, data collection, keyless data entry, data processing, data storage, data retrieval, data transmission, and the tracking of assets, including the use of Radio Frequency (RF) technology for users throughout DoD, CG, NATO, Coalition Partners, other FMS, other federal agencies, and contractor purchasers in support of DoD.

Ordering Procedures

The mandatory ordering procedures to use the AIT-7 contract to obtain hardware, software, and services can be found in the Ordering Guide. Questions regarding these guidelines and procedures for placing orders against the contract should be directed to:

Ashley Atkins

Contracting Officer's Representative (COR), PL LIS

Office: 540-287-4842

Email: ashley.m.atkins2.civ@army.mil

Questions of a contractual nature should be directed to the Procuring Contracting Officer (PCO), Army Contracting Command – Rock Island (ACC-RI):

Benjamin Geringer

Contracting Officer

Office: (309) 782-1784

Email: benjamin.l.geringer.civ@mail.mil

John Kerch

Contract Specialist

Office: (309) 782-5830

Email: john.d.kerch.civ@mail.mil

Please contact the below Four Points POCs with all AIT-7 quote requests or to place an AIT-7 order:

John Aller

Office: 571-353-7275

Email: jaller@4points.com**Carl Brown, Jr.**

Office: 571-353-7226

Email: cbrownjr@4points.com

The Government can reach out to the above Four Points POCs for additional information regarding Four Points' AIT-7 product offerings. You may also visit our AIT-7 website at the following site – see <https://www.4points.com/contractvehicles/ait7/>.

Equipment

The equipment section shall be organized into sub-sections:

Major Types of Equipment Provided

Equipment Name	Physical Dimensions (WxLxH)	Power Requirements (Wattage/Voltage)	Heat Generated by Equipment
XX01 AA - Hand Held Barcode Terminal A (HHT-A) - Zebra ET60 Rugged Tablet	10.8" x 7.8" x 0.7"	45W / 15V	This device has protections built-in to prevent overheating
XX01 BA - Hand Held Barcode Terminal B (HHT-B) - DT Research DT382WH 8IN Rugged Tablet	5.8" x 9.2" x 1.1"	100 to 240V AC; Output: 19V DC, 3.42A	This device has protections built-in to prevent overheating
XX01 CA - Hand Held Barcode Terminal C (HHT-C) - Zebra ET60 Rugged Tablet	10.8" x 7.8" x 0.7"	45W / 15V	This device has protections built-in to prevent overheating
XX01 FA - Hand Held Terminal - HHT-F - DT Research DT362DN 6" Rugged Table	7.6" x 3.7" x 1.2" (192 x 95 x 31 mm)	65 W / 20 V	This device has protections built-in to prevent overheating
XX01 GA - Hand Held Barcode Terminal H (HHT-G) - DT Research C1D2 Certified DT362DH 6" Rugged Tablet	8.6" x 5.6" x 1.2"	100-240V AC; 12V	This device has protections built-in to prevent overheating

XX01 HA - Hand Held Barcode Terminal H (HHT-H) - Zebra TC5301 Mobile Handheld	6.48" x 3.04" x 0.66"	12 VDC. / Power Consumption. Up to 100 watts	This device has protections built-in to prevent overheating
XX01 HS - HHT-H SLED - Zebra RFD40 RFID Sled	5.94" x 3.3" x in. 6.5"	100-240 VAC / 12V	This device has protections built-in to prevent overheating
XX01 JA - Hand Held Barcode Terminal J (HHT-J) - Zebra ET60 10.1" Rugged Tablet	10.8" x 7.8" x 0.7"	45W / 15V	This device has protections built-in to prevent overheating
XX01 KA - Hand Held Barcode Terminal K (HHT-K) - Zebra MC9401 Rugged Handheld	9.4" x 3.5" x 7.4"	AC Input: 100-240V, 2.8A. DC Output: 12V, 9A, 108W	This device has protections built-in to prevent overheating

Each HHT is a hand-held device used to automatically capture and store data and can accept data through its color touch screen, stylus, full alphanumeric on-screen keypad (OSK), integrated barcode imager, or other attached devices. Each HHT can communicate with the portable/wearable barcode label printer.


Precautions

If two devices come within 1.8 to 3 meters of each other, the Zebra handheld devices sounds an alert. The two users then immediately should keep a distance from each other. If they ignore this warning, the tone repeats itself until there is enough distance between the two Zebra devices. Some of the Zebra devices also vibrate as part of the alert.

Equipment Interface Diagrams and/or Photos

The OC shall contain cable / equipment interface diagrams and /or photos for each CLIN that depict the typical operational configuration and provide instructions for users to specify equipment destination to ensure the AIT-7 equipment is compatible with the commercial power supply and adapter plugs for the geographic area in which it shall be operated.

Zebra ET60 Rugged Tablet:



Number	Item	Description
1	Front microphones	Use for voice communications or audio recordings.
2	Windows Hello infrared LED	Illuminates your face with infrared (IR) light during Windows Hello face authentication.
3	Windows Hello infrared camera	Captures your face during Windows Hello face authentication.
4	Front camera	Use for video conferencing.
5	Front camera LED	Illuminates when the front camera is active.
6	Light sensor	Determines ambient light for controlling display backlight intensity.
7	Right access door	Secure door for accessing USB ports.
8	Touch screen	Displays all information needed to operate the device.
9	Dock alignment slot	Assists in aligning the tablet with the dock.
10	Speakers	Provides audio output.
11	Dock USB connector	Provides USB communication through the dock.
12	Charging indicator	Indicates power state and battery charging status while charging and application-generated notifications.
13	Keyboard/shoulder strap mount slots	Provides alignment and mounting of keyboard and shoulder strap clips.
14	Power button	Turns the display on and off. Press and release to turn on the device. Press and hold to restart the device. Provides finger print biometric authentication (optional).
15	+ button	Programmable button (increase volume - default).
16	- button	Programmable button (decrease volume - default).
17	Keyboard interface connector	Provides power and communication with the keyboard.
18	P3 button	Programmable button (keyboard shortcut Ctrl+Alt +Del - default).
19	Kensington security slot	Provides mounting a security cable to prevent theft or unauthorized use of the tablet.
20	P2 button	Programmable button (opens Copilot application - default).
21	P1 button	Programmable button (open Zebra Control Hub application - default).
22	Dock power / antenna connector	Provides power and antenna connection through the dock.

DT Research DT362DN (Both HHT F & G)




Button	Action
1	Power Button
2	Trigger Buttons
3	Battery Latch
4	Power Button
5	Trigger Buttons
6	Battery Latch

DT Research DT382WH




Input/Output Ports	Button Functions
A - Latest USB/charging (power input)	1 – Power Button
B - Audio jack	2 – Windows Key Button
C - USB port	3 – Programmable Button
D – Smart Card Reader	4 – Brightness Control Button
E – Barcode Scanner	5 – RFID Reader Trigger Button
F – Back camera	6 – Barcode Scanner Trigger Button
G - DC-in jack	
H – RFID Reader	

Zebra TC5301 Mobile Handheld:




Number	Item	Description
1	Front camera 8MP	Takes photos and videos.
2	Scan LED	Indicates data capture status.
3	Receiver	Use for audio playback in Handset mode.
4	Proximity/light sensor	Determines proximity and ambient light for controlling display backlight intensity.
5	Battery status LED	Indicates battery charging status while charging and application generated notifications.
6, 9	Scan button	Initiates data capture (programmable).
7	Volume up/down button	Increase and decrease audio volume (programmable).
8	6 in. LCD touch screen	Displays all information needed to operate the device.
10	PTT button	Typically used for PTT communications. Where regulatory restrictions exist ¹ , button is configurable for use with other applications.

Zebra MC9401 Rugged Handheld:



Number	Item	Description
1	Ambient light sensor	Controls display and keyboard backlight.
2	8 MP front-facing camera	Use to take photos and videos.
3	Display	Displays all information needed to operate the device.
4	Speaker side port	Provides audio output for video and music playback.
5	Trigger	Initiates data capture when a scan application is enabled.
6	P1 - dedicated PTT key	Initiates push-to-talk communications (programmable).
7	Battery release latch	Releases the battery from the device. To release the battery, simultaneously press the battery release latches on both sides of the device.
8	Battery	Provides power for operating the device.
9	Microphone	Use for communications in Handset mode.
10	Keypad	Use to enter data and navigate on-screen functions.
11	Power button	Press and hold to turn on the device. Press to turn on or off the screen. Press and hold to select one of these options: • Power off - Turn off the device. • Restart - Restart the device when the software stops responding.
12	Center scan button	Initiates data capture when a scan application is enabled.
13	Charging/notification LED	Indicates the battery charging status while charging, app-generated notifications, and data capture status.

Zebra MC9401 Rugged Handheld:



1	Adaptor (Sold Separately)
2	Coin Screws (4)
3	Adaptor Label
4	eConnex™ Communication Port
5	Battery Status LED
6	Decode LED
7	Tri-Function Trigger
8	Charging Contact and USB-C Port
9	Tethering Point for Handstrap
10	Rubber Foot

Software

ZebraDesigner 3 Software

ZebraDesigner 3 barcode label design software makes creating industry standard and compliant labels based on fixed or variable data simple.

ZebraDesigner Professional offers a more robust toolset to create complex label designs, including RFID support, database connectivity, simple VB scripting and data manipulation and concatenation. It requires purchase of a one-time activation license key.

ZebraDesigner Feature Matrix	ZebraDesigner Professional*
Supports files: ZebraDesigner Version 2: LBL format ZebraDesigner Version 3: NLBL format	•
Supports native printer fonts	•

Supports Unicode™	•
Supports native barcodes	•
CPCL, EPL and ZPL Command Language support (CPCL and EPL require the ZDesigner Windows driver v5)	•
ODBC and ASCII file connectivity (Connection to a single database and table on the same label)	•
GS1-128 wizard	•
RFID wizard	•
Keyboard Display Unit (KDU) support	•
Print to file	•
Simple VB script	•
Data entry at print time	•
Pick database records at print time	•
Time/Date and Real Time Clock (RTC)	•
Connectivity: Parallel, Serial, Network, USB, Bluetooth (Bluetooth only applicable with ZDesigner Windows printer driver v10)	•
Windows 10/Windows 11/Windows Server 2022/Windows Server 2025	•

Installation Requirements:

Operating System (32 or 64 bit):

Windows 10 desktop editions
Windows 11 desktop editions
Windows Server 2019
Windows Server 2022
Windows Server 2025

Downloads

System:

Intel or compatible x86 family processor
2 GB RAM
1 GB available disk space
1366 x 768 or higher resolution display

Software/Drivers:

Microsoft .NET Framework v. 4.7.2

ZDesigner Windows printer driver v. 10.6.x.x or above is recommended.

If support for CPCL or EPL printer command languages is required, ZDesigner Windows printer driver v. 5.x can be used

Virtualization**Remote Desktop Services:**

With the exception of Hyper-V technologies, Remote Desktop Services and Virtual Machines are not supported.

Compatibility

ZebraDesigner 2 label files

ZebraDesigner 2 Pro label files

Can be opened/edited in ZebraDesigner Essentials 3

Can be opened/edited in ZebraDesigner Professional 3

Training

Four Points shall provide training associated with Technical Engineering Services (TES) that is customized to each task order solution being delivered. The training can be conducted in a group or one-on-one setting and will be based on the task order's work statement.

Warranty Support

Four Points shall provide a minimum three-year warranty (including the initial and separately orderable HHT batteries, but excluding cables and ancillary items, such as power supplies, docking stations, battery charger, etc.) and an optional two-year warranty (excluding batteries and ancillary items) where specified in this PWS, including all parts, labor, and transportation costs for all AIT-7 components provided under this contract. All products delivered under this contract shall have a permanent label affixed to each serialized item (excluding batteries and cables) that, at a minimum, identifies: the contractor's company name, telephone number and website URL. Four Points shall provide a minimum of a three-year warranty for all software products. The three-year warranty will be included in the purchase price of the component and not priced separately.

Preventative Maintenance***GUIDANCE FOR HHT's:***

Follow these preventive maintenance steps to ensure optimal performance and longevity:

Cleaning and Disinfecting

- **Use Approved Disinfectants:** Ensure the use of recommended chemical disinfectants such as SANI-CLOTH, Cavi Wipes, or 70% Isopropyl Alcohol.
- **Avoid Film Residue:** Test a small portion of your tablet before cleaning to prevent any film residue. Clean using a damp cloth followed by a dry cloth to remove any cleaning agent residue.

Accessories and Parts Maintenance

- **Battery Care:** Consider battery services such as Proactive Battery Replacement and Battery Maintenance to ensure batteries are in good condition. Replace batteries that cannot maintain an 80% charge.
- **Software Updates:** Keep the software and Android security updates current using LifeGuard™ for Android to protect against security risks and ensure smooth operations.

Cleaning Solutions

- Recommended solutions include Goo Gone, Tuffie Wipes, and Alcohol Prep Pads for thorough cleaning without damaging the tablet surface.

Additional Tips

- Use Zebra's maintenance kits or equivalent tools for proper cleaning.
- Schedule regular checkups to spot and correct potential issues before they escalate.

Summary

Follow these cleaning protocols and consider enrolling in Zebra OneCare™ Maintenance Plans for more comprehensive coverage and support, ensuring your devices remain reliable and in peak condition.

GUIDANCE FOR PRINTERS:

Key Components and Methods

- **Printhead:** Clean frequently with a solvent, especially after every roll of media.
- **Platen Roller:** Use solvent cleaning for optimal performance.
- **Media and Ribbon Sensors:** Blow air to remove particles.
- **Media and Ribbon Paths:** Clean with solvent to prevent buildup.

Maintenance Schedule

The intervals for cleaning can vary based on usage, but here are some general guidelines:

- **Direct Thermal Mode:** Clean printhead after each roll of media or 500 feet of fanfold media.
- **Thermal Transfer Mode:** Clean platen roller after every roll of ribbon.

Tools

- **Preventive Maintenance Kit:** It's recommended to use Zebra's maintenance kit for cleaning. Alternatively, a lint-free cloth dipped in 99.7% isopropyl alcohol can be used.

These maintenance practices help prevent damage and ensure that the print quality remains high. Always refer to the specific product's user guide for detailed instructions.

APM MATS PRODUCTS

ZEBRA THERMAL TRANSFER PRINTER, ZD621



- AIT printer, Color Touch LCD
- Resolution: 203 DPI
- Firmware: ZPL II; EPL 2; XML; ZBI; PDF Direct
- 5 status icon, 3 button user interface
- Ethernet, Serial, USB 2.0, USB Host
- Ribbon Outside Diameter: 2.6-in/1.34-in.
- Ribbon Core I.D. 300m (1-in.)/74m (0.5-in.)
- Memory: 512 MB Flash; 256 MB SD RAM
- Operating Temp.: 40° to 105° F/4.4° to 41° C
- Storage Temp.: -40° to 140° F/-40° to 60° C
- Electrical: Auto-detectable (PFC Compliant) 100-240VAC, 50-60Hz


- **TAA Compliant**
- **Three-year comprehensive warranty**
- **Weight: 5.5lbs**

ZEBRA, CONSUMABLES, IMAGE LOCK RESIN RIBBON



- **Dimensions: 2.5" X 244'**
- **Core: 0.5-IN**

MESA UID/RFID Ruggedized Tablet



- Mesa 4 with embedded CAC reader
- Capable of reading UID and RFID
- 7-in. sun-light readable display
- Bluetooth 5.3/WI-FI 6E
- 4G LTE Cell modem* Cameras: 5MP Front/13MP Rear
- I/O USB-C, USB-A, 12V Barrel Jack*Integrated 4G LTE Modem
- 30W AC Power Supply kit, *Red Corner Bumpers
- Embedded CAC reader *16GB RAM *128GB flash storage/128 Internal Storage
- Windows 11 OS; Quad-core Intel Pentium N4200 processor
- Region-specific frequency configurations(859–873 MHz & 915–930 MHz)
- EPC global Gen 2 (ISO 18000-6C) protocol support
- Wide output range (0 dBm to +27 dBm)
- Software keyboard wedge
- TAA and HERO compliant
- W/ 2 yr manufacturer warranty

MESA 7-Inch Multi Battery Charger Kit



- Allows you to charge two batteries simultaneously from Mesa device.
- Features an LED indicator for charging status.
- Includes the Removable Battery Charger and the 30W AC Power Supply Kit

MESA 3 Removable Li-Ion Battery (Rechargeable)



- Removable Li-Ion battery, 43.2 Whr
- Operates 8–10 hours on one charge
- Removable battery, easily changeable in field
- Optimized for strong performance in cold temperatures
- Excellent lifecycle performance
- Optional built-in 21.6-Whr battery provides additional 4–5 hours runtime and hot-swap capability


Zebra Scanner HHT (FI) - Zebra DS9908R



- Dimensions: 8.0 in. H x 3.9 in. W x 5.75 in. D

- **Input voltage range: 4.5 to 5.5 VDC Host Powered; 4.5 to 5.5 VDC**
- **External Power Supply Nominal Read Range: 18-inches;**
- **Standard Supported: EPC Class 1 Gen2;**
- **EPC Gen2 V2; ISO-18000-63;**
- **Operating Temp: 32.0° to 122.0° F / 0.0° to 50.0° C**
- **TAA compliant**

Vanguard ID Tag



- **Flat Vanguard ID, Flat thin flexible**
- **Avery AD 321r-6-P 600600 RFID Inlay w/ Impinj Monza chip**
- **Dimensions: 3" x1.5"*Frequency Band: UHF (860-960 MHz)**
- **128 bits EPC, 48 bits TID**
- **Operating Temperature -40 °C to 85 °C / -40 °F to 185 °F**
- **TAA compliant**

Omni-ID Max Rigid (Bin Tags)



- TAA compliant
- Size (inches) 4.10 x 1.42 x 0.39;
- Read Range (Handheld Reader) Up to 10m (32.8 ft);
- Frequency Range (MHz) 866–930 (Global); Operating Temperature –40 to +85 C;
- 401 Olive Green (PMS 5815);
- Warranty 3 years

Omni-ID Max Rigid (Bin Tags)



- TAA compliant; Size (inches) 4.10 x 1.42 x 0.39;
- Read Range (Handheld Reader) Up to 10m (32.8 ft);
- Frequency Range (MHz) 866–930 (Global);
- Operating Temperature –40 to +85 C; 401 Olive Green (PMS 5815) with 503 Foam adhesive (3M 41026);
- Warranty 3 years

Smart-Cart (rolling / mobile cart)



- **PC542 Series, 26x 30, with adjustable inverter settings and HD Power Package;**
- **Rechargeable with est. 10 hours of operating**
- **Monitor mount with 2 mounting brackets: one for tablets, one for monitor**
- **Plexiglass top with hole for cable management tube**
- **Movable shelf with hole for cable management tube**
- **Multi-outlet power surge strip (qty 9) mounted on inside throat power channel w/power button on top**
- **Document holder*Trash can*On wheels**
- **Heavy-Duty Undershelf Keyboard & Mouse Tray**
- **Metal Peg board backing**

AV Cart - 34" x 20"x 29", color RED



- **Top shelf with safety mat**
- **Locking bottom cabinet**
- **3-outlet power strip and 15 FT cord,**
- **4" rubber swivel casters; locking**

Multi-device (32-port) Charging Cart



- **32 AC Outlets**
- **Device Slots: 32**
- **Charges devices up to 15-in. screen (Chromebooks, Laptops, Tablets)**
- **Charges 16 ruggedized tablets *Charging Method: AC**
- **Input Voltage: 120V AC**
- **Mobile (has four 4-inch swivel, locking casters)**
- **Wide handle to move cart**
- **Locking, vented doors**
- **Removable dividers and cord management w/2-year warranty**

Tripp Lite 7-port USB hub, 2.0 Tower



- **Supports USB 2.0 speeds up to 480 Mbps to ensure reliable data transfers** Bus-powered hub
- **Includes optional external power supply for extra power** Blue LED indicates the hub is receiving power from the included supply
- **Compatible with all major operating systems, including Windows and macOS** Plug-and-play operation with no software required for easy, immediate installation
- **3-year limited warranty** TAA compliant

8-Outlet Industrial Safety Surge Protector



- **25FT cord,**
- **3900 Joules, cord wrap and hang holes**

U35 Heat Seal Label Press Machine




- 3x5 inch platen sie, approx. 13 deep x 11.5 wide x 14.25 high
- Digital and adjustable timer & temperature control.
- With 3-year warranty

Unitherm heat seal film



- (HSF-2X50) UID heat press labels -approx. 500/roll
- 2.00" X 50 Yard roll of continuous heat seal film clothing label material
- Approximate 500 labels per roll (3.00" x 2.00") print side wound in carrier paper wound out

Golf tube, durable black plastic tube



- **33.75" x 1.5"**

Stainless Steel Ties package



- **14.3" Long, 450lb Tensile Strength, SS304, Metal,**
- **50/pkgMaterial: Stainless Steel (SS304) Material Shortcut:**
- **SS304 Flammability:**
- **Non-burning Halogen Free:**
- **Yes UV Resistant (Yes/No):**
- **Yes Use Conditions**
- **For Indoor and Outdoor Use Operating Temperature**
- **-112°F to +1000°F (-80°C to +538°C) Reach Compliant (Article 33)**
- **ROHS Compliant**

Black UV Stabilized Nylon Cable Ties - 12", 50 lb



- Tamperproof ties secure bags, cords and cables permanently
- Approved for outdoor use
- UL Listed 6.6 nylon
- Locks tightly - Won't stretch or slide
- Temperature range -40° to 185°F

Swivel Head Rivet Tool



- **Model RHT300**
- Uses 3/32", 1/8", 5/32" and 3/16" rivets

Long Pop Rivets



- 3x16-IN, Aluminum, 50 pieces

CLIN List and Prices

This section shall provide the CLIN List and Prices.

CLIN	Description	Version	Status	Effective Date	Price
XX01 AA	Hand Held Barcode Terminal A (HHT-A)	WIN 11 Pro	Baseline	11/1/2025	\$2,839.39
XX01 AA	HHT-A Smartcard Reader			11/1/2025	
XX01 AA	HHT-A Power Supply			11/1/2025	
XX01 AA	HHT-A USB-C Communication and Charging Cable			11/1/2025	
XX01 AA	HHT-A AC line cord for Power Supply			11/1/2025	

XX01 AB	HHT-A warranty upgrade to add 2 year (total 5 years): 3-yr Z1C SKU for ET6x Windows includes standard maintenance for standard battery			11/1/2025	\$411.09
XX01 AC	HHT-A Holster and Shoulder Strap (Requires D-Clips)			11/1/2025	\$120.60
XX01 AC	HHT-A Holster and Shoulder Strap D-Clips			11/1/2025	
XX01 AD	HHT-A Rechargeable Battery (1EA)			11/1/2025	\$102.25
XX01 AE	HHT-A Multiple (2) Battery Charger			11/1/2025	\$292.70
XX01 AE	Power Supply			11/1/2025	
XX01 AE	DC Line Cord			11/1/2025	
XX01 AE	AC line cord for Power Supply			11/1/2025	
XX01 AF	HHT-A Single Battery Charger / Docking Station			11/1/2025	\$268.74

XX01 AG	HHT-A One Stylus			11/1/2025	\$26.98
XX01 AH	HHT-A Transparent screen protector			11/1/2025	\$62.41
XX01 AJ	HHT-A Portable Printer interface cable			11/1/2025	\$45.28
x001AJ	HHT-A USB-C to USB-A Adapter			11/1/2025	
XX01 AK	HHT-A Detachable hand strap			11/1/2025	\$309.51
XX01 AL	HHT-A Carrying Case			11/1/2025	\$73.25
XX01 AM	HHT-A CAC Reader (if not integrated)			11/1/2025	
XX01 BA	Hand Held Barcode Terminal B (HHT-B)	WIN 11 IoT	Baseline	11/1/2025	1701.03
XX01 BB	HHT-B Extended Warranty; add 2 year (total 5 years)			11/1/2025	\$155.34
XX01 BC	HHT-B Rechargeable Battery (1EA)			11/1/2025	\$141.01
XX01 BD	HHT-B Multiple (2) Battery Charger			11/1/2025	\$314.07

XX01 BE	HHT-B Single Battery Charger / Docking Station			11/1/2025	\$197.75
XX01 BF	HHT-B One Stylus			11/1/2025	\$52.98
XX01 BG	HHT-B Transparent screen protector			11/1/2025	\$19.86
XX01 BH	HHT-B Portable Printer interface cable			11/1/2025	\$20.62
XX01 BJ	HHT-B Detachable hand strap			11/1/2025	\$22.49
XX01 BK	HHT-B Carrying Case			11/1/2025	\$55.04
XX01 BL	HTT-B CAC Reader (if not integrated)			11/1/2025	
XX01 CA	Hand Held Barcode Terminal C (HHT-C)	WIN 11 PRO	Baseline	11/1/2025	\$2,462.59
XX01 CA	HHT-C Smartcard Reader			11/1/2025	
XX01 CA	HHT-C Power Supply			11/1/2025	
XX01 CA	HHT-C USB-C Communication and Charging Cable			11/1/2025	
XX01 CA	HHT-C AC line cord for Power Supply			11/1/2025	

XX01 CB	HHT-A warranty upgrade to add 2 year (total 5 years): 3-yr Z1C SKU for ET6x Windows includes standard maintenance for standard battery			11/1/2025	\$411.09
XX01 CC	HHT-C Holster and Shoulder Strap Note: Requires D-Clips			11/1/2025	\$120.60
XX01 CC	HHT-C Holster and Shoulder Strap D-Clips			11/1/2025	
XX01 CD	HHT-C Rechargeable Battery (1EA)			11/1/2025	\$102.25
XX01 CE	HHT-C Multiple (2) Battery Charger			11/1/2025	\$215.73
XX01 CF	HHT-A Single Battery Charger / Docking Station			11/1/2025	\$268.74
XX01 CG	HHT-C One pack of (1) tethered replacement styli			11/1/2025	\$26.98

XX01 CH	HHT-C Transparent screen protector (3 Pack)			11/1/2025	\$62.41
XX01 CJ	HHT-C portable printer interface connection and cable			11/1/2025	\$45.28
X001CJ	HHT-A USB-C to USB-A Adapter			11/1/2025	
XX01 CK	HHT-C Detachable hand strap			11/1/2025	\$295.98
XX01 CL	HHT- C Carrying Case			11/1/2025	\$73.25
XX01 CM	HHT- C CAC Reader (if not integrated)			11/1/2025	
XX01 FA	Hand-Held Terminal-F (HHT-F)	WIN 11 IoT	Baseline	1/30/2026	\$1,825.66
XX01 FB	HHT-F/ HHT-G warranty upgrade to add 2 year (total 5 years)			1/30/2026	\$167.42
XX01 FC	HHT-F or HHT-G Pistol Grip			1/30/2026	\$236.50
XX01 FD	HHT-F or HHT-G Holster &Shoulder Strap (Compatible w/o Pistol Grip)			1/30/2026	\$50.64
XX01 FE	HHT-F or HHT-G Holster &Shoulder Strap (Compatible WITH Pistol Grip)			1/30/2026	\$17.24

XX01 FF	HHT-F or HHT-G Rechargeable Battery (1EA)			1/30/2026	\$199.51
XX01 FG	HHT-F or HHT-G Multiple (2) Battery Charger			1/30/2026	\$362.69
XX01 FH	HHT-F or HHT-G Single Battery Charger / Docking Station (w/o Pistol Grip)			1/30/2026	\$278.20
XX01 FI	HHT-F or HHT-G Single Battery Charger / Docking Station (with Pistol Grip)			1/30/2026	\$215.20
XX01 FJ	HHT-F or HHT-G One Pack of (1) Tethered Replacement Styli			1/30/2026	\$57.10
XX01 FK	HHT-F or HHT-G Transparent Screen Protector			1/30/2026	\$10.23
XX01 FL	HHT-F or HHT-G Portable Printer Interface Connection and Cable			1/30/2026	\$20.62
XX01 FM	HHT-F or HHT-G Detachable Hand Strap			1/30/2026	\$18.96
XX01 FN	HHT-F or HHT-G Battery Charger (Charge only - adapter/cable)			1/30/2026	\$61.00
XX01 GA	Hand Held Barcode Terminal H (HHT-G)	WIN 11 IoT	Baseline	1/30/2026	\$2,233.04
XX01 HA	Hand Held Barcode Terminal H (HHT-H)	Android 11	Baseline	11/1/2025	\$3,036.21

XX01 HA	HHT-H Communication and Charging Cable			11/1/2025	
XX01 HA	HHT-H Power supply			11/1/2025	
XX01 HA	HHT-H CAC Reader with Cable (Requires Apriva Software License)			11/1/2025	
XX01 HA	HHT-H Stylus - Pack of 3			11/1/2025	
XX01 HA	HHT-H CAC Reader Software - Apriva			11/1/2025	
				11/1/2025	
XX01 HA	HHT-H 3-yr Z1C with Battery maintenance			11/1/2025	
XX01 HB	HHT-H Extended Warranty; add 2 year (total 5 years): 5-yr Z1C SKU			11/1/2025	\$491.51
XX01 HC	HHT-H Power Supply; adaptor and cords: Communication and Charging Cable			11/1/2025	\$45.76
XX01 HC	HHT-H Power Supply; adaptor and cords: Power supply			11/1/2025	

XX01 HD	Hand Held Barcode Terminal H (HHT-H) Single-slot USB/Ethernet capable battery charging cradle kit			11/1/2025	\$562.57
XX01 HD	Hand Held Barcode Terminal H (HHT-H) - AC line cord for Workstation connect cradle			11/1/2025	
XX01 HD	Hand Held Barcode Terminal H (HHT-H) - USB to Ethernet Adaptor			11/1/2025	
XX01 HD	Hand Held Barcode Terminal H (HHT-H) - Micro USB Activesync Cable			11/1/2025	
XX01 HE	HHT CAC Reader with Cable (Requires Apriva Software License)			11/1/2025	\$333.30
XX01 HE	CAC Reader Software			11/1/2025	
				11/1/2025	
XX01 HF	HHT-H Rugged Boot			11/1/2025	\$63.13
XX01 HS	HHT-H SLED	Android 11	Baseline	11/1/2025	\$1,732.66

XX01 HS	USB Cable for communication/Charging: Communication and Charging cable and cup			11/1/2025	
XX01 HS	USB Power adapter			11/1/2025	
XX01 HS	US Line cord 7.5 ft long			11/1/2025	
XX01 HS	HHT-H RFID SLED 3-yr Z1C includes standard maintenance for standard battery			11/1/2025	
XX01 HT	HHT-H SLED Extended Warranty: 3 yr Z1C			11/1/2025	\$158.13
XX01 HU	HHT-H SLED USB C to USB A Comm. Cord			11/1/2025	\$17.13
XX01 HV	HHT-H SLED Single Battery Charger / Docking Station: Charges SLED and TC53 device			11/1/2025	\$308.94

XX01 HV	HHT-H SLED Single Battery Charger / Docking Station: Power Adaptor			11/1/2025	
XX01 HV	HHT-H SLED Single Battery Charger / Docking Station: DC Cable			11/1/2025	
XX01 HV	HHT-H SLED Single Battery Charger / Docking Station: US Line cord 7.5 ft long			11/1/2025	
XX01 HV	USB Cable for communication/Charging: Communication and Charging cable and cup			11/1/2025	
XX01 HW	HHT-H SLED Power Adapter and Cord: Power Adaptor			11/1/2025	\$47.68
XX01 HW	HHT-H SLED Power Adapter and Cord: US Line cord 7.5 ft long			11/1/2025	

XX01 HX	HHT-H SLED eCONNEX adapter			11/1/2025	55.94
XX01 JA	Hand Held Barcode Terminal J (HHT-J)	Android 13	Baseline	11/1/2025	\$2,101.51
XX01 JA	HHT-J Smartcard Reader			11/1/2025	
XX01 JA	HHT-J One pack of (1) tethered replacement styli			11/1/2025	
XX01 JA	HHT-A Power Supply			11/1/2025	
XX01 JA	AC line cord for Power Supply			11/1/2025	
XX01 JA	HHT-J USB-C Communication and Charging Cable			11/1/2025	
XX01 JA	HHT-J US Power adapter cord			11/1/2025	
XX01 JA	HHT-J CAC Reader Software - Apriva			11/1/2025	
				11/1/2025	

XX01 JB	HHT-J Extended Warranty; add 2 year (total 5 years): 3-yr Z1C SKU for ET6x Android includes Standard maintenance for standard battery			11/1/2025	\$321.85
XX01 JC	HHT-J Power Supply			11/1/2025	\$61.56
XX01 JC	HHT-J USB-C Communication and Charging Cable			11/1/2025	
XX01 JC	HHT-J US Power adapter cord			11/1/2025	
XX01 JD	HHT-J Single Battery Charger / Docking Station - Workstation cradle			11/1/2025	\$644.57
XX01 JD	HHT-J Single Battery Charger / Docking Station - Power supply			11/1/2025	

XX01 JD	HHT-J Single Battery Charger / Docking Station - DC Cable			11/1/2025	
XX01 JD	HHT-J Single Battery Charger / Docking Station - US Power adaptor cord			11/1/2025	
XX01 JE	HHT-J Detachable Hand Strap			11/1/2025	\$61.24
XX01 JF	HHT-J D-Clips for Strap			11/1/2025	\$55.51
XX01 JG	HTT-J CAC Reader			11/1/2025	\$572.21
XX01 JG	HHT-J CAC Reader Software - Apriva			11/1/2025	
				11/1/2025	
XX01 JH	HTT-J Rugged Boot			11/1/2025	\$73.25
XX01 KA	Hand Held Barcode Terminal I (HHT-K)	Android 13	Baseline	11/1/2025	\$2,647.56
XX01 KA	Cable adapter for Communication and Charging			11/1/2025	
XX01 KA	HHT-K Power Supply			11/1/2025	

XX01 KA	HHT-K USB-A to USB-C communication and charging cable			11/1/2025	
XX01 KA	HHT-K Stylus (Set of 3)			11/1/2025	
XX01 KA	HHT-K 3-yr Zebra OneCare includes standard maintenance for standard battery			11/1/2025	
XX01 KB	HHT-K warranty upgrade to add 2 year (total 5 years): 3-yr Zebra OneCare includes standard maintenance for standard battery			11/1/2025	\$558.11
XX01 KC	HHT-K Rechargeable Battery (1EA)			11/1/2025	\$129.75
XX01 KD	HHT-K Single Battery Charger / Docking Station			11/1/2025	\$338.09
XX01 KD	HHT-K Battery Charger (Charge Only): Power supply			11/1/2025	

XX01 KD	HHT-K Battery Charger (Charge Only): DC Cable			11/1/2025	
XX01 KD	HHT-K Battery Charger (Charge Only): AC Line cord			11/1/2025	
XX01 KE	HHT-K Battery Charger (Charge Only): Four-slot battery charger			11/1/2025	\$414.24
XX01 KE	HHT-K Battery Charger (Charge Only): Power supply			11/1/2025	
XX01 KE	HHT-K Battery Charger (Charge Only): DC Cable			11/1/2025	
XX01 KE	HHT-K Battery Charger (Charge Only): AC Line cord			11/1/2025	
XX01 KF	HHT-K Portable Printer Interface Cable			11/1/2025	\$98.91

XX01 KF	USB-A female to USB-C female adapter			11/1/2025	
XX01 KG	HHT-K Pistol Grip			11/1/2025	
XX02	BARCODE IMAGERS FOR PC INPUT			11/1/2025	
XX02 AA	Imager for PC Input - General Bar Code (Tethered)			11/1/2025	\$835.97
XX02 AA	Imager Cable - Shielded USB: Series A, 12 ft., Coiled			11/1/2025	
XX02 AA	Imager Stand			11/1/2025	
XX02 AA	Imager - 3 yr Zebra OneCare Essential			11/1/2025	
XX02 AA	Imager - 1 yr Zebra OneCare Essential (Optional)			11/1/2025	
XX02 BA	Imager for PC Input - General Bar Code (Bluetooth)			11/1/2025	\$1,240.19
XX02 BA	Imager Cable - Shielded USB: Series A, 12 ft., Coiled			11/1/2025	

XX02 BA	Imager Communication and Charging Cradle			11/1/2025	
XX02 BA	Imager - Power adapter			11/1/2025	
XX02 BA	Imager - DC Cable			11/1/2025	
XX02 BA	Imager - US Power adapter cable			11/1/2025	
XX02 BA	Imager - 3 yr Zebra OneCare Essential			11/1/2025	
XX02 BA	Imager - 1 yr Zebra OneCare Essential (Optional)			11/1/2025	
XX02 CA	Imager for PC Input - IUID Label Markings			11/1/2025	\$835.97
XX02 CA	Imager Cable - Shielded USB: Series A, 12 ft., Coiled			11/1/2025	
XX02 CA	Imager Stand			11/1/2025	
XX02 CA	Imager - 3 yr Zebra OneCare Essential			11/1/2025	
XX02 CA	Imager - 1 yr Zebra OneCare Essential (Optional)			11/1/2025	

XX02 DA	Imager for PC Input - IUID Direct Part Markings			11/1/2025	\$1,790.46
XX02 DA	Imager Cable - Shielded USB: Series A, 12 ft., Coiled			11/1/2025	
XX02 DA	Imager Stand			11/1/2025	
XX02 DA	Imager - 3 yr Zebra OneCare Essential			11/1/2025	
XX02 DA	Imager - 1 yr Zebra OneCare Essential (Optional)			11/1/2025	
XX02 EA	Imager for PC Input - Extended Reading Range (Tethered)			11/1/2025	\$977.80
XX02 EA	Imager Cable - Shielded USB: Series A, 12 ft., Coiled			11/1/2025	
XX02 EA	Imager Stand			11/1/2025	
XX02 EA	Imager - 3 yr Zebra OneCare Essential			11/1/2025	
XX02 EA	Imager - 1 yr Zebra OneCare Essential (Optional)			11/1/2025	

XX03	BAR CODE LABEL PRINTERS			11/1/2025	
XX03 AA	Portable/Wearable Bar Code Label Printer			11/1/2025	\$1,091.73
XX03 AA	Printer - Power adapter and US Cord			11/1/2025	
XX03 AA	Printer - Micro-USB to USB Cable			11/1/2025	
XX03 AA	Portable printer 3-yr Z1C includes battery maintenance			11/1/2025	
XX03 AB	Rechargeable Battery for Portable/Wearable BC Label Printer			11/1/2025	\$121.04
XX03 AC	Battery Charger for Portable/Wearable BC Label Printer			11/1/2025	\$153.88
XX03 AD	Carrying Case with Strap for Portable/Wearable BC Label Printer			11/1/2025	\$155.75

XX03 AE	4" x 6 " Label and Ribbon Set for Portable/Wearable BC Label Printer (6 rolls): 10008530 (720/roll, 4/box)			11/1/2025	\$105.38
XX03 BA	Stationary Bar Code Label Printer			11/1/2025	\$1,848.79
XX03 BA	Stationary Bar Code Label Printer - 3 yr Z1C			11/1/2025	
XX03 BB	Bar Code Label Printer - B - Stationary, with Installed Take-Up Reel			11/1/2025	\$2,057.98
XX03 BB	Stationary Bar Code Label Printer - 3 yr Z1C			11/1/2025	
XX03 BC	Roll of 4" by 6" Synthetic Label Stock (8 inch diameter roll) for Stationary: PolyPro 4000T/10008530 (4 rolls/box, 720/roll)			11/1/2025	\$390.60

XX03 BD	Roll of 4" by 3" Synthetic Label Stock (8 inch diameter roll) for Stationary: PolyPro 4000T/10008531 (1 roll/box, 1420/roll)			11/1/2025	\$398.56
XX03 BE	Resin Ribbon for 4" Width Labels for Stationary BC Label Printer: 6200 Resin/ 06200BK11045 (6/box)			11/1/2025	\$213.44
XX04	PASSIVE RFID (pRFID) HARDWARE			11/1/2025	
XX04 AA	pRFID Fixed Reader			11/1/2025	3193.14
XX04 AA	pRFID Antenna			11/1/2025	
XX04 AA	pRFID Antenna Cable: 68" LMR-240, RP-TNC STR Plug to N STR Plug, IP67 Sealed			11/1/2025	
XX04 AA	DC/DC Power supply - IP67 sealed			11/1/2025	
XX04 AA	M12 to M12 DC Output cable			11/1/2025	

XX04 AA	M12 to IEC Plug AC line cord			11/1/2025	
XX04 AA	Ethernet Cable			11/1/2025	
XX04 AA	US Line cord			11/1/2025	
XX04 AA	3 Year Zebra OneCare Essential			11/1/2025	
XX04 AB	pRFID Fixed Reader Universal Mounting Kit			11/1/2025	221.03
XX04 BA	pRFID Vehicle Mount Fixed Reader w/antennas			11/1/2025	3411.75
XX04 BA	pRFID Vehicle Mount Fixed Reader mount			11/1/2025	
XX04 BA	DC/DC Power supply - IP67 sealed			11/1/2025	
XX04 BA	M12 to M12 DC Output cable			11/1/2025	
XX04 BA	M12 to Flying Leads, DC Input Line Cord			11/1/2025	
XX04 BA	US Line cord			11/1/2025	
XX04 BA	3 Yr Zebra OneCare Essential			11/1/2025	
XX04 CA	pRFID SmartTable			11/1/2025	9986.98

XX04 DA	Handheld Terminal-Passive RFID A (HHT-pRFID-A)			11/1/2025	3061.39
XX04 DA	Handheld Terminal charging and communication cable cup			11/1/2025	
XX04 DA	USB Power adapter			11/1/2025	
XX04 DA	CAC Reader with Cable (Requires Apriva Software License)			11/1/2025	
XX04 DA	CAC Reader Software - Apriva			11/1/2025	
				11/1/2025	
XX04 DA	HHT-H MC33xr Stylus (Pack of 3)			11/1/2025	
XX04 DA	Handheld Terminal 3-yr Z1C includes Standard maintenance for standard battery			11/1/2025	
XX04 DB	HHT-pRFID-A Carrying Case			11/1/2025	100.59
XX04 DB	HHT-pRFID-A Carrying Case shoulder strap			11/1/2025	
XX04 DC	HHT-pRFID-A Rechargeable Battery			11/1/2025	\$108.61

XX04 DD	HHT-pRFID-A Battery Charger / Docking Station;			11/1/2025	\$330.75
XX04 DD	HHT-pRFID-A Power adapter			11/1/2025	
XX04 DD	HHT-pRFID-A - AC line cord for Workstation connect cradle			11/1/2025	
XX04 DD	HHT- DC power cord			11/1/2025	
XX04 DD	HHT Micro-USB to USB active sync cable			11/1/2025	
XX04 DE	CAC Reader with Cable (Requires Apriva Software License)			11/1/2025	\$444.39
XX04 DE	Handheld Terminal charging and communication cable cup			11/1/2025	
XX04 DE	CAC Reader Software - Apriva			11/1/2025	
				11/1/2025	
XX04 DF	HHT-pRFID-A Printer Interface Cable			11/1/2025	\$37.75
X004DF	USB-A female to USB-A female adapter			11/1/2025	

XX04 EA	pRFID Thermal Transfer Printer;			11/1/2025	\$3,453.55
XX04 EA	pRFID Thermal Transfer Printer - USB Interface Cable, 6 ft (A to B)			11/1/2025	
XX04 EA	pRFID Thermal Transfer Printer - Preventive maintenance kit			11/1/2025	
XX04 EA	pRFID Four (4") Wax/Resin Ribbon, 110mmx450m (4.33inx1476ft), 3200; High Performance, 25mm (1in) core, 6/box			11/1/2025	
XX04 EA	Bar Code Label Design and Printing Software: ZebraDesigner Pro 3, Activation Key			11/1/2025	
XX04 EA	pRFID Thermal Transfer Printer - 3 Year Zebra OneCare			11/1/2025	

XX04 EB	pRFID Shipping Tag - 4" x 2" (2,000 labels /roll): 10038998 (2000/roll, 1 roll/box)			11/1/2025	\$132.86
XX04 EC	pRFID Shipping Tag - 4" x 6" (500 labels /roll): 10038996 (1000/roll, 1/box)			11/1/2025	\$84.97
XX04 ED	pRFID Four (4") Wax/Resin Ribbon, 110mmx450m (4.33inx1476ft), 3200; High Performance, 25mm (1in) core, 6/box			11/1/2025	\$180.62
XX05	BARCODE LABEL AND FORM DESIGN SOFTWARE			11/1/2025	
XX05 AA	Bar Code Label Design and Printing Software: ZebraDesigner Pro 3, Activation Key			11/1/2025	\$226.49

XX05 AA	Technical & Software Support Contract 8/5, 1 Year ZebraDesinger Pro V3			11/1/2025	
XX06	IRIDIUM SATELLITE MODEM			11/1/2025	
XX06 AA	Satellite Iridium Modem w/ GPS, NAL Satellite Modem			11/1/2025	1842.78
XX06 AB	Mast Mount Antenna			11/1/2025	489.79
XX06 AC	GPS Antenna			11/1/2025	115.36
XX06 AD	AC/DC Power Adapter (if required for operation)			11/1/2025	727.42
XX06 AE	10-foot Serial Cable			11/1/2025	220.41
XX07	EXPEDITED DELIVERY FOR HARDWARE AND SOFTWARE			11/1/2025	
XX07 AA	Expedited delivery CONUS			11/1/2025	
XX07 AB	Expedited delivery OCONUS			11/1/2025	
XX08	TECHNICAL ENGINEERING SERVICES (TES)			11/1/2025	
XX08 AA	Project Manager			11/1/2025	

XX08 AB	Senior Information Systems Engineer			11/1/2025	
XX08 AC	Senior Programmer			11/1/2025	
XX08 AD	Junior Programmer			11/1/2025	
XX08 AE	Data Communication/ Network Specialist			11/1/2025	
XX08 AF	Radio Frequency Technical Radio Specialist			11/1/2025	
XX08 AG	Senior Field Engineer			11/1/2025	
XX08 AH	Senior Systems Engineer			11/1/2025	
XX08 AI	Technical Writer			11/1/2025	
XX09	INCIDENTAL MATERIALS			11/1/2025	
XX09 AA	Incidental Materials			11/1/2025	
XX10	TRAVEL			11/1/2025	
XX10 AA	Travel Expenses			11/1/2025	
XX10 AB	Per Diem			11/1/2025	
XX11	SERVICE CONTRACTING REPORTING (SCR)			11/1/2025	

APM- MATS:

XX03CA	ZEBRA THERMAL TRANSFER PRINTER, ZD621 *AIT printer, Color Touch LCD *Resolution: 203 DPI *Firmware: ZPL II; EPL 2; XML; ZBI; PDF Direct *5 status icon, 3 button user interface *Ethernet, Serial, USB 2.0, USB Host *Ribbon Outside Diameter: 2.6-in/1.34-in. *Ribbon Core I.D. 300m (1-in.)/74m (0.5-in.) *Memory: 512 MB Flash; 256 MB SD RAM *Operating Temp.:40° to 105° F/4.4° to 41° C *Storage Temp.: -40° to 140° F/-40° to 60° C *Electrical: Auto-detectable (PFC Compliant) 100-240VAC, 50-60Hz *TAA Compliant *Three-year comprehensive warranty *Weight: 5.5lbs	WIN 11 Pro	Baseline	8/3/2026	\$ 909.63
XX03CB	ZEBRA, CONSUMABLES, IMAGE LOCK RESIN RIBBON *Dimensions: 2.5" X 244' *Core: 0.5-IN *12 Rolls per Case			8/3/2026	\$ 312.91
XX04FA	MESA UID/RFID Ruggedized Tablet: Mesa 4 with embedded CAC reader. *Capable of reading UID and RFID *7-in. sun-light readable display *Bluetooth 5.3/WI-FI 6E *4G LTE Cell modem* Cameras: 5MP Front/13MP Rear *I/O USB-C, USB-A, 12V Barrel Jack*Integrated 4G LTE Modem *30W AC Power Supply kit, *Red Corner Bumpers *Embedded CAC reader *16GB RAM *128GB flash storage/128 Internal Storage *Windows 11 OS; Quad-core Intel Pentium N4200 processor *Region-specific frequency configurations(859–873 MHz & 915–930 MHz)*EPC global Gen 2 (ISO 18000-6C) protocol support *Wide output range (0 dBm to +27 dBm) *Software keyboard wedge * TAA and HERO compliant*w/ 2 yr manufacturer warranty. Includes temporary supply chain surcharge of \$635.00. Prices	Android 14	Baseline	8/3/2026	\$6,236.37

	may decrease .				
XX04FB	MESA 7-Inch Multi Battery Charger Kit *Allows you to charge two batteries simultaneously from Mesa device. *Features an LED indicator for charging status. *Includes the Removable Battery Charger and the 30W AC Power Supply Kit	Android 14	Baseline	8/3/2026	\$ 513.64
XX04FC	MESA 3 Removable Li-Ion Battery (Rechargeable) *Removable Li-Ion battery, 43.2 Whr*Operates 8–10 hours on one charge*Removable battery, easily changeable in field*Optimized for strong performance in cold temperatures*Excellent lifecycle performance*Optional built-in 21.6-Whr battery provides additional 4–5 hours runtime and hot-swap capability	Android 14	Baseline	8/3/2026	\$ 232.95
XX04FD	Zebra Scanner HHT (FI) - Zebra DS9908R Dimensions: 8.0 in. H x 3.9 in. W x 5.75 in. D Input voltage range: 4.5 to 5.5 VDC Host Powered; 4.5 to 5.5 VDC External Power Supply Nominal Read Range: 18-inches; Standard Supported: EPC Class 1 Gen2; EPC Gen2 V2; ISO-18000-63; Operating Temp: 32.0° to 122.0° F / 0.0° to 50.0° CTAA compliant	WIN 11 Pro	Baseline	8/3/2026	\$1,141.67
XX04GA	Vanguard ID Tag *Flat Vanguard ID, Flat thin flexible*Avery AD 321r-6-P 600600 RFID Inlay w/ Impinj Monza chip*Dimensions: 3” x1.5”*Frequency Band: UHF (860-960 MHz) *128 bits EPC, 48 bits TID*Operating Temperature -40 °C to 85 °C / -40 °F to 185 °F*TAA compliant			8/3/2026	\$ 18.77
XX04GB	Omni-ID Max Rigid (Bin Tags) TAA compliant; Size (inches) 4.10 x 1.42 x 0.39; Read Range (Handheld Reader) Up to 10m (32.8 ft); Frequency Range (MHz) 866–930 (Global); Operating Temperature –40 to +85 C; 401 Olive Green (PMS 5815); warranty 3 years, TAA compliant			8/3/2026	\$ 23.75
XX04GC	Omni-ID Max Rigid (Bin Tags) TAA compliant; Size (inches) 4.10 x 1.42 x 0.39; Read Range (Handheld Reader) Up to 10m (32.8 ft); Frequency Range (MHz) 866–930 (Global); Operating Temperature –40 to +85 C; 401 Olive Green (PMS 5815) with 503 Foam adhesive (3M 41026); warranty 3 years, TAA compliant			8/3/2026	\$ 23.75

XX12AA	Smart-Cart (rolling / mobile cart) *PC542 Series, 26x 30, with adjustable inverter settings and HD Power Package; Rechargeable with est. 10 hours of operating*Monitor mount with 2 mounting brackets: one for tablets, one for monitor*Plexiglass top with hole for cable management tube*Movable shelf with hole for cable management tube*Multi-outlet power surge strip (qty 9), mounted on inside throat of power channel w/power button on top*Document holder*Trash can*On wheels*Heavy-Duty Undershelf Keyboard & Mouse Tray*Metal Peg board backing			8/3/2026	\$7,323.86
XX12AB	AV Cart - 34" x 20"x 29", color RED , top shelf with safety mat, locking bottom cabinet, 3-outlet power strip and 15 FT cord, 4" rubber swivel casters; locking			8/3/2026	\$ 842.05
XX12AC	Multi-device (32-port) Charging Cart *32 AC Outlets*Device Slots: 32*Charges devices up to 15-in. screen (Chromebooks, Laptops, Tablets) *Charges 16 ruggedized tablets *Charging Method: AC *Input Voltage: 120V AC *Mobile (has four 4-inch swivel, locking casters) *Wide handle to move cart *Locking, vented doors *Removable dividers and cord management *2-year warranty			8/3/2026	\$2,736.36
XX12AD	Tripp Lite 7-port USB hub, 2.0 Tower. Supports USB 2.0 speeds up to 480 Mbps to ensure reliable data transfers Bus-powered hub includes optional external power supply for extra power Blue LED indicates the hub is receiving power from the included supply Compatible with all major operating systems, including Windows and macOS Plug-and-play operation with no software required for easy, immediate installation 3-year limited warranty TAA compliant			8/3/2026	\$ 98.86
XX12AE	8-Outlet Industrial Safety Surge Protector , 25FT cord, 3900 Joules, cord wrap, hang holes			8/3/2026	\$ 167.05
XX12AF	U35 Heat Seal Label Press Machine 3x5 inch platen sie, approx. 13 deep x 11.5 wide x 14.25 high, with digital and adjustable timer & temperature control. With 3-year warranty.			8/3/2026	\$1,215.91

XX12AG	Unitherm heat seal film (HSF-2X50) UID heat press labels -approx. 500/roll. 2.00" X 50 Yard roll of continuous heat seal film clothing label material; about 500 labels per roll (3.00" x 2.00") print side wound in carrier paper wound out			8/3/2026	\$ 335.23
XX12AH	Golf tube, durable black plastic tube, 33.75" x 1.5"			8/3/2026	\$ 23.86
XX12AJ	Stainless Steel Ties package, 14.3" Long, 450lb Tensile Strength, SS304, Metal, 50/pkgMaterial: Stainless Steel (SS304) Material Shortcut: SS304 Flammability: Non-burning Halogen Free: Yes UV Resistant (Yes/No): Yes Use Conditions: For Indoor and Outdoor Use Operating Temperature: -112°F to +1000°F (-80°C to +538°C) Reach Compliant (Article 33): Yes ROHS Compliant: Yes			8/3/2026	\$ 94.32
XX12AK	Black UV Stabilized Nylon Cable Ties - 12", 50 lb •Tamperproof ties secure bags, cords and cables permanently. •Approved for outdoor use. •UL Listed 6.6 nylon. •Locks tightly - Won't stretch or slide. •Temperature range -40° to 185°F.			8/3/2026	\$ 12.00
XX12AL	Swivel Head Rivet Tool, Model RHT300, uses 3/32", 1/8", 5/32" and 3/16" rivets			8/3/2026	\$ 43.18
XX12AM	Long Pop Rivets, Arrow, P/N RMA3/16IP, 3x16-IN, Aluminum, 50 pieces			8/3/2026	\$ 28.41